

CARBIDE



Being the best through innovation



GENERAL CARBIDE DRILLS



UNIVERSELLE VHM - BOHRER

- JOBBER & STUB LENGTH
General Purpose, DIN338 & DIN6539
- Kurz & Extra Kurz
Für allgemeinen Einsatz, DIN338 und DIN6539

SELECTION GUIDE

GENERAL SOLID CARBIDE DRILLS

For General materials, Cast steels, Cast iron, Non-ferrous materials

ITEM	MODEL	DESCRIPTION	SIZE		PAGE
			MIN	MAX	
D5405		CARBIDE DRILLS VOLLHARTMETALL-SPIRALBOHRER <i>STUB EXTRA KURZ</i>	D1.0	D13.0	116
D5407		CARBIDE DRILLS VOLLHARTMETALL-SPIRALBOHRER <i>JOBBER KURZ</i>	D1.0	D13.0	118
RECOMMENDED CUTTING CONDITIONS EMPFOHLENE SCHNEIDKONDITIONEN					120

GENERAL SOLID CARBIDE DRILLS

◎ : Excellent
○ : Good

Carbon Steels	Alloy Steels	Prehardened Steels	Hardened Steels		Cast Iron	Aluminum	Stainless Steels	Titanium	Mild Steels	Copper	Bronze	CFRP
			HRc45~55	HRc55~								
~HB225	HB225~325	HRc30~45	HRc45~55	HRc55~								
◎	◎				○	○	○	○	◎			
◎	◎				○	○	○	○	◎			

YG GENERAL CARBIDE DRILLS

D5405 SERIES



CARBIDE DRILLS
VOLLHARTMETALL-SPIRALBOHRER

STUB

EXTRA KURZ

► **Application** : Drilling steels in general, cast steels, cast iron, chilled cast iron, malleable cast iron, non-ferrous heavy metals, non-ferrous light metals, abrasive plastics.

► **Verwendung** : Zum wirtschaftlichen Bohren von Stahl allgemein, Stahlguß, Hart-und Temperguß, Nichteisen Leichtmetallen, abrasiven Kunststoffen.



DIN 6539
MG
N 30°
h6
h7
118°
P.120

D₁=D₂

Unit : mm

EDP No.	Drill Diameter	Flute Length	Overall Length	EDP No.	Drill Diameter	Flute Length	Overall Length
	D ₁	L ₁	L ₂		D ₁	L ₁	L ₂
D5405010	1.0	6	26	D5405035	3.5	20	52
D5405011	1.1	7	28	D5405036	3.6	20	52
D5405012	1.2	8	30	D5405037	3.7	20	52
D5405013	1.3	8	30	D5405038	3.8	20	52
D5405014	1.4	9	32	D5405039	3.9	22	55
D5405015	1.5	9	32	D5405040	4.0	22	55
D5405016	1.6	10	34	D5405041	4.1	22	55
D5405017	1.7	10	34	D5405042	4.2	22	55
D5405018	1.8	11	36	D5405043	4.3	24	58
D5405019	1.9	11	36	D5405044	4.4	24	58
D5405020	2.0	12	38	D5405045	4.5	24	58
D5405021	2.1	12	38	D5405046	4.6	24	58
D5405022	2.2	13	40	D5405047	4.7	24	58
D5405023	2.3	13	40	D5405048	4.8	26	62
D5405024	2.4	14	43	D5405049	4.9	26	62
D5405025	2.5	14	43	D5405050	5.0	26	62
D5405026	2.6	14	43	D5405051	5.1	26	62
D5405027	2.7	16	46	D5405052	5.2	26	62
D5405028	2.8	16	46	D5405053	5.3	26	62
D5405029	2.9	16	46	D5405054	5.4	28	66
D5405030	3.0	16	46	D5405055	5.5	28	66
D5405031	3.1	18	49	D5405056	5.6	28	66
D5405032	3.2	18	49	D5405057	5.7	28	66
D5405033	3.3	18	49	D5405058	5.8	28	66
D5405034	3.4	20	52	D5405059	5.9	28	66

► TiN(D6405), TiCN(DG405) and TiAlN(DH405) are available on your request.

◎ : Excellent ○ : Good

Carbon Steels	Alloy Steels	Prehardened Steels	Hardened Steels		Cast Iron	Aluminum	Stainless Steels	Titanium	Mild Steels	Copper	Bronze	CFRP
~HB225	HB225~325	HRc30~45	HRc45~55	HRc55~								
◎	◎				○	○	○	○	◎			



GENERAL CARBIDE DRILLS

D5405 SERIES



CARBIDE DRILLS VOLLHARTMETALL-SPIRALBOHRER

STUB

EXTRA KURZ

► **Application** : Drilling steels in general, cast steels, cast iron, chilled cast iron, malleable cast iron, non-ferrous heavy metals, non-ferrous light metals, abrasive plastics.

► **Verwendung** : Zum wirtschaftlichen Bohren von Stahl allgemein, Stahlguß, Hart-und Temperguß, Nichteisen Leichtmetallen, abrasiven Kunststoffen.



D₁=D₂

Unit : mm

EDP No.	Drill Diameter	Flute Length	Overall Length	EDP No.	Drill Diameter	Flute Length	Overall Length
	D ₁	L ₁	L ₂		D ₁	L ₁	L ₂
D5405060	6.0	28	66	D5405084	8.4	37	79
D5405061	6.1	31	70	D5405085	8.5	37	79
D5405062	6.2	31	70	D5405086	8.6	40	84
D5405063	6.3	31	70	D5405087	8.7	40	84
D5405064	6.4	31	70	D5405088	8.8	40	84
D5405065	6.5	31	70	D5405089	8.9	40	84
D5405066	6.6	31	70	D5405090	9.0	40	84
D5405067	6.7	31	70	D5405091	9.1	40	84
D5405068	6.8	34	74	D5405092	9.2	40	84
D5405069	6.9	34	74	D5405093	9.3	40	84
D5405070	7.0	34	74	D5405094	9.4	40	84
D5405071	7.1	34	74	D5405095	9.5	40	84
D5405072	7.2	34	74	D5405096	9.6	43	89
D5405073	7.3	34	74	D5405097	9.7	43	89
D5405074	7.4	34	74	D5405098	9.8	43	89
D5405075	7.5	34	74	D5405099	9.9	43	89
D5405076	7.6	37	79	D5405100	10.0	43	89
D5405077	7.7	37	79	D5405102	10.2	43	89
D5405078	7.8	37	79	D5405105	10.5	43	89
D5405079	7.9	37	79	D5405110	11.0	47	95
D5405080	8.0	37	79	D5405115	11.5	47	95
D5405081	8.1	37	79	D5405120	12.0	51	102
D5405082	8.2	37	79	D5405130	13.0	51	102
D5405083	8.3	37	79				

► TiN(D6405), TiCN(DG405) and TiAlN(DH405) are available on your request.

◎ : Excellent ○ : Good

Carbon Steels	Alloy Steels	Prehardened Steels	Hardened Steels		Cast Iron	Aluminum	Stainless Steels	Titanium	Mild Steels	Copper	Bronze	CFRP
~HB225	HB225~325	HRc30~45	HRc45~55	HRc55~								
◎	◎				○	○	○	○	◎			

YG GENERAL CARBIDE DRILLS



D5407 SERIES

CARBIDE DRILLS
VOLLHARTMETALL-SPIRALBOHRER

JOBBER
KURZ

► **Application** : Drilling steels in general, cast steels, cast iron, chilled cast iron, malleable cast iron, non-ferrous heavy metals, non-ferrous light metals, abrasive plastics.

► **Verwendung** : Zum wirtschaftlichen Bohren von Stahl allgemein, Stahlguß, Hart-und Temperguß, Nichteisen Leichtmetallen, abrasiven Kunststoffen.



DIN 338
MG
N 30°
h6
h7
118°
P.120

D₁=D₂

Unit : mm

EDP No.	Drill Diameter	Flute Length	Overall Length	EDP No.	Drill Diameter	Flute Length	Overall Length
	D ₁	L ₁	L ₂		D ₁	L ₁	L ₂
D5407010	1.0	12	34	D5407032	3.2	36	65
D5407011	1.1	14	36	D5407033	3.3	36	65
D5407012	1.2	16	38	D5407034	3.4	39	70
D5407013	1.3	16	38	D5407035	3.5	39	70
D5407014	1.4	18	40	D5407036	3.6	39	70
D5407015	1.5	18	40	D5407037	3.7	39	70
D5407016	1.6	20	43	D5407038	3.8	43	75
D5407017	1.7	20	43	D5407039	3.9	43	75
D5407018	1.8	22	46	D5407040	4.0	43	75
D5407019	1.9	22	46	D5407041	4.1	43	75
D5407020	2.0	24	49	D5407042	4.2	43	75
D5407021	2.1	24	49	D5407043	4.3	47	80
D5407022	2.2	27	53	D5407044	4.4	47	80
D5407023	2.3	27	53	D5407045	4.5	47	80
D5407024	2.4	30	57	D5407046	4.6	47	80
D5407025	2.5	30	57	D5407047	4.7	47	80
D5407026	2.6	30	57	D5407048	4.8	52	86
D5407027	2.7	33	61	D5407049	4.9	52	86
D5407028	2.8	33	61	D5407050	5.0	52	86
D5407029	2.9	33	61	D5407051	5.1	52	86
D5407030	3.0	33	61	D5407052	5.2	52	86
D5407031	3.1	36	65	D5407053	5.3	52	86

► TiN(D6407), TiCN(DG407) and TiAlN(DH407) are available on your request.

◎ : Excellent ○ : Good



Carbon Steels	Alloy Steels	Prehardened Steels	Hardened Steels		Cast Iron	Aluminum	Stainless Steels	Titanium	Mild Steels	Copper	Bronze	CFRP
~HB225	HB225~325	HRc30~45	HRc45~55	HRc55~								
◎	◎				○	○	○	○	◎			

CARBIDE DRILLS
VOLLHARTMETALL-SPIRALBOHRER

JOBBER
KURZ

► **Application** : Drilling steels in general, cast steels, cast iron, chilled cast iron, malleable cast iron, non-ferrous heavy metals, non-ferrous light metals, abrasive plastics.

► **Verwendung** : Zum wirtschaftlichen Bohren von Stahl allgemein, Stahlguß, Hart-und Temperguß, Nichteisen Leichtmetallen, abrasiven Kunststoffen.



DIN 338
MG
N 30°
h6
h7
118°
P.120

D₁=D₂

Unit : mm

EDP No.	Drill Diameter D ₁	Flute Length L ₁	Overall Length L ₂	EDP No.	Drill Diameter D ₁	Flute Length L ₁	Overall Length L ₂
D5407054	5.4	57	93	D5407070	7.0	69	109
D5407055	5.5	57	93	D5407075	7.5	69	109
D5407056	5.6	57	93	D5407080	8.0	75	117
D5407057	5.7	57	93	D5407085	8.5	75	117
D5407058	5.8	57	93	D5407090	9.0	81	125
D5407059	5.9	57	93	D5407095	9.5	81	125
D5407060	6.0	57	93	D5407100	10.0	87	133
D5407061	6.1	63	101	D5407102	10.2	87	133
D5407062	6.2	63	101	D5407105	10.5	87	133
D5407063	6.3	63	101	D5407110	11.0	94	142
D5407064	6.4	63	101	D5407115	11.5	94	142
D5407065	6.5	63	101	D5407120	12.0	101	151
D5407068	6.8	69	109	D5407130	13.0	101	151

► TiN(D6407), TiCN(DG407) and TiAlN(DH407) are available on your request.

◎ : Excellent ○ : Good

Carbon Steels	Alloy Steels	Prehardened Steels	Hardened Steels		Cast Iron	Aluminum	Stainless Steels	Titanium	Mild Steels	Copper	Bronze	CFRP
~HB225	HB225~325	HRc30~45	HRc45~55	HRc55~								
◎	◎				○	○	○	○	◎			

HSS

I-DREAM DRILLS

DREAM DRILLS -GENERAL

DREAM DRILLS -INOX

DREAM DRILLS -ALU

DREAM DRILLS -CFRP

DREAM DRILLS -MQL TYPE

DREAM DRILLS for HARDENED STEELS

GENERAL CARBIDE DRILLS

NC-SPOTTING DRILLS

CENTER DRILLS

MULTI-1 DRILLS

HPD DRILLS

GOLD-P DRILLS

STRAIGHT SHANK DRILLS

TAPER SHANK DRILLS

NC-SPOTTING DRILLS

CENTER DRILLS

SPADE DRILLS

TECHNICAL DATA



**GENERAL
CARBIDE DRILLS**

**RECOMMENDED CUTTING CONDITIONS
EMPFOHLENE SCHNEIDKONDITIONEN**

**CARBIDE DRILLS, DIN6539, DIN338
VOLLHARTMETALL SPIRALBOHRER, DIN 6539, DIN 338**

D5405, D5407 SERIES

WORK MATERIAL	NON-ALLOY STEELS		ALLOY STEELS		SOFT GREY CAST IRON		HARD GREY CAST IRON		STAINLESS STEELS		Al-Si ALLOYS, Si<10%		Al-Si ALLOYS, Si>10%		Ti, Ni ALLOY STEELS	
	STRENGTH		STRENGTH		STRENGTH		STRENGTH		STRENGTH		STRENGTH		STRENGTH		STRENGTH	
DRILLING SPEED	65 ~ 75 m/min		45 ~ 55 m/min		80 ~ 100 m/min		50 ~ 70 m/min		30 ~ 40 m/min		150 ~ 170 m/min		110 ~ 130 m/min		33 ~ 38 m/min	
DIAMETER	N	S	N	S	N	S	N	S	N	S	N	S	N	S	N	S
	1.0	23000	0.03	17200	0.03	32000	0.04	23000	0.04	12000	0.04	54000	0.05	42000	0.05	11800
2.0	11500	0.04	8600	0.04	16000	0.05	11500	0.05	6000	0.03	27000	0.06	21000	0.06	5900	0.03
3.0	7800	0.05	5750	0.05	10500	0.06	7600	0.06	4000	0.04	18000	0.07	14000	0.07	3900	0.04
4.0	5800	0.06	4300	0.06	7800	0.07	5700	0.07	3000	0.05	13000	0.08	10500	0.08	2950	0.05
5.0	4700	0.07	3450	0.07	6200	0.08	4550	0.08	2400	0.06	10500	0.09	8500	0.09	2350	0.06
6.0	3900	0.08	2850	0.08	5200	0.09	3800	0.09	2000	0.07	8800	0.11	7100	0.11	1950	0.07
7.0	3350	0.09	2450	0.09	4500	0.10	3250	0.10	1700	0.08	7600	0.13	6100	0.13	1700	0.08
8.0	2900	0.10	2150	0.10	3900	0.12	2850	0.12	1500	0.09	6600	0.15	5350	0.15	1450	0.09
9.0	2600	0.11	1900	0.11	3450	0.14	2550	0.14	1350	0.10	5900	0.17	4750	0.17	1300	0.10
10.0	2350	0.12	1700	0.12	3100	0.16	2300	0.16	1200	0.11	5300	0.19	4250	0.19	1200	0.11
11.0	2150	0.13	1600	0.13	2850	0.18	2100	0.18	1100	0.12	4850	0.21	3900	0.21	1050	0.12
12.0	1950	0.14	1450	0.14	2600	0.20	1900	0.20	1000	0.13	4450	0.23	3550	0.23	980	0.13
13.0	1800	0.16	1350	0.16	2400	0.20	1750	0.20	950	0.13	4100	0.25	3300	0.25	905	0.13

N = R.P.M
S = Feed per Revolution (mm/rev.)